


2021-2022 Ford Bronco 3rd Brake Light Relocation Kit 628-41AOR Installation Instructions



INCLUDED HARDWARE:


Item #	Qty.	Description
1	1	Bronco 3 rd Brake Light Relocation Bracket
2	6	M6 x 25mm Plastic Thread Forming Screw
3	4	M6 x 1 Nylon-Insert Lock Nut
4	4	M6 Washer
5	4	M6 x 1 x 20mm Flanged Hex Head Bolt
	1	Instruction Sheet



Professional installation by a certified technician is strongly recommended. Not responsible for altered products. No claims are made regarding any lifting devices. Any and all claims implied in this document excluded.

RECOMMENDED TOOLS:

10mm Socket & Wrench





NOTES:

All pictures shown are for illustration purposes only. Actual product may vary due to product enhancement. Does NOT fit Bronco Sport models.

INSTALLATION:

- 1. Remove spare tire.
- 2. Remove (x4) screws holding 3rd brake light assembly to the spare tire carrier using a T30 Torx bit (**Figure 1**).



Figure 1

3. Using provided M6 hardware (x4) M6 x 1 x 20mm Flange Bolts, Washers, & Lock Nuts), install the 3rd brake light relocation bracket onto the spare tire carrier and torque to 77 in-lbs (**Figure 2**).



Figure 2

1. **NOTE:** For hard top model, mount bracket to opposite side of carrier for additional wiper clearance (**Figure 3**).



Figure 3

2. Using a T30 Torx bit, install (x6) provided M6 plastic thread forming screws into the 3rd brake light assembly (**Figure 4**).



Figure 4

3. Reinstall spare tire (Figure 5).



Figure 5

POST-INSTALLATION:

1. Check for proper torque on all fasteners. Check clearance between all rotating, mobile, fixed, and hot parts.

MAINTENANCE: After 500 miles, re-torque all fasteners (recommended every 1000 miles thereafter). Have all suspension, driveline, and steering components inspected by a certified technician during routine maintenance (recommended every 3000 miles).

Technical Support: 1-866-464-6553

© 2022 Anvil Off Road. All Rights Reserved. Tous Droits Réservés.

199R12387

Revision Date: 9-1-22