

AUTOMOTIVE SHOCKER DUAL ACTION LIGHT BAR

ABOUT SHOCKER LED LIGHT BAR

The Vision X Shocker Dual Action LED Light bar brings versatility and lighting power to the forefront by allowing you to adjust your lighting to the ever-changing driving conditions with the flick of a switch. Experience the all new VRT (Vector Reflector Technology) at high speeds by shining a long distance, broad spot beam that fans across the trail.

When dust and fog tries to slow you down, engage the Amber PLC (Photon Light Core Technology) to pierce the night by reducing shadows and white-out through the proper Amber LED lighting spectrum and wide-elliptical shaped beam. For added dust & fog penetration, the Shocker Race model utilizes a special LED Chip configuration which emits maximum Amber brightness while still offering an extremely wide elliptical driving pattern.

The Shocker LED Light Bar is also available in White PLC (Photon Light Core Technology) models, which will ignite a bright white ultra-wide beam to clearly see the trails and roads edges with over 170° of illumination.

Shocker LED Light Bar Key Features:

- **Dual Function Lighting Technology**
- **Broad Spot and Wide Elliptical Beam in One Light Bar**
- **3 Models (Amber, Race Amber, White) Available**
- **Race-inspired Side Mounts Included**
- **Optional Bottom Feet Mounts Available**



SHOCKER LED LIGHT BAR



ITEM #: SHK-BV6WPA Shown
PART #: 9929705

SHOCKER DUAL ACTION LED LIGHT BAR


LED:	10W CREE / Amber LEDs
Dimensions:	"X" x 3.82" x 3.82"
Beam Pattern:	Broad Spot & Wide Elliptical
Length Options:	12", 20", 30", 40"



PHOTON LIGHT CORE FOR WIDE ELLIPTICAL BEAM

The new Photon Light Core technology is the first of its kind. Our engineers designed the bottom half of the Shocker to produce a unique wide spread elliptical beam that keeps the light low to the ground.


ELLIPTICAL
BEAM



VECTOR REFLECTOR FOR BROAD SPOT BEAM

With the flip of a switch, the Shocker bar transforms your light into a driving spot beam that utilizes our Vector Reflector Technology to boost the beam pattern out to unmatched distances.

BROAD
SPOT
BEAM



AUTOMOTIVE SHOCKER DUAL ACTION LIGHT BAR

SHOCKER OUTPUT MODELS

AMBER | WIDE ELLIPTICAL BEAM



Amber LEDs designed to cut through dust/fog by reducing shadows and white out while lighting up the edges of the trail or roadway.

RACE AMBER | WIDE ELLIPTICAL BEAM







Upgraded Amber LEDs designed for Race applications that produce 25% more lighting distance over the standard Amber Model.

WHITE | WIDE ELLIPTICAL BEAM




White LEDs for maximum lighting output and peripheral illumination.

SHOCKER 2D FRONT VIEW



SHOCKER 2D SIDE VIEW



AUTOMOTIVE
**SHOCKER DUAL
ACTION LIGHT BAR**

ORDERING INFORMATION: **SHOCKER 12"**

ITEM #	PART #	LENGTH	MODEL	FUNCTION	LED COLOR	RAW LUMENS	WATTS	AMP DRAW @ 12V	BEAM PATTERN	USABLE LIGHT
SHK-BV6WPA	9929705	11.97"	Amber (PLC) Elliptical	Vector Reflector	White	6,420 lm	60W	5A	Broad Spot	1,314ft.
				Photon Core	Amber	3,550 lm	70W	5.8A	Elliptical	360ft.
SHK-BV6WPW	9934204	11.97"	White (PLC) Elliptical	Vector Reflector	White	6,420 lm	60W	5A	Broad Spot	1,314ft.
				Photon Core	White	6,945 lm	100W	8.3A	Elliptical	475ft.
SHK-BV6WRA	9934280	11.97"	Race Amber (PLC) Elliptical	Vector Reflector	White	6,420 lm	60W	5A	Broad Spot	1,314ft.
				Photon Core	Amber	3,026 lm	100W	8.3A	Elliptical	450ft.

ORDERING INFORMATION: **SHOCKER 20"**

ITEM #	PART #	LENGTH	MODEL	FUNCTION	LED COLOR	RAW LUMENS	WATTS	AMP DRAW @ 12V	BEAM PATTERN	USABLE LIGHT
SHK-BV12WPA	9932873	21.89"	Amber (PLC) Elliptical	Vector Reflector	White	12,840 lm	125W	10.42A	Broad Spot	1,725ft.
				Photon Core	Amber	7,100 lm	140W	11.67A	Elliptical	480ft.
SHK-BV12WPW	9934259	21.89"	White (PLC) Elliptical	Vector Reflector	White	12,840 lm	125W	10.42A	Broad Spot	1,725ft.
				Photon Core	White	13,890 lm	200W	16.67A	Elliptical	700ft.
SHK-BV12WRA	9934297	21.89"	Race Amber (PLC) Elliptical	Vector Reflector	White	12,840 lm	125W	10.42A	Broad Spot	1,725ft.
				Photon Core	Amber	6,050 lm	200W	16.67A	Elliptical	600ft.

ORDERING INFORMATION: **SHOCKER 30"**

ITEM #	PART #	LENGTH	MODEL	FUNCTION	LED COLOR	RAW LUMENS	WATTS	AMP DRAW @ 12V	BEAM PATTERN	USABLE LIGHT
SHK-BV18WPA	9932972	31.81"	Amber (PLC) Elliptical	Vector Reflector	White	19,260 lm	195W	16.25A	Broad Spot	2,145ft.
				Photon Core	Amber	10,650 lm	220W	18.33A	Elliptical	615ft.
SHK-BV18WPW	9934266	31.81"	White (PLC) Elliptical	Vector Reflector	White	19,260 lm	195W	16.25A	Broad Spot	2,145ft.
				Photon Core	White	20,835 lm	300W	25A	Elliptical	845ft.
SHK-BV18WRA	9934303	31.81"	Race Amber (PLC) Elliptical	Vector Reflector	White	19,260 lm	195W	16.25A	Broad Spot	2,145ft.
				Photon Core	Amber	9,075 lm	300W	25A	Elliptical	730ft.

ORDERING INFORMATION: **SHOCKER 40"**

ITEM #	PART #	LENGTH	MODEL	FUNCTION	LED COLOR	RAW LUMENS	WATTS	AMP DRAW @ 12V	BEAM PATTERN	USABLE LIGHT
SHK-BV24WPA	9932989	41.73"	Amber (PLC) Elliptical	Vector Reflector	White	25,680 lm	250W	20.83A	Broad Spot	2,260ft.
				Photon Core	Amber	14,200 lm	300W	25A	Elliptical	680ft.
SHK-BV24WPW	9934273	41.73"	White (PLC) Elliptical	Vector Reflector	White	25,680 lm	250W	20.83A	Broad Spot	2,260ft.
				Photon Core	White	27,780 lm	380W	31.67A	Elliptical	985ft.
SHK-BV24WRA	9934310	41.73"	Race Amber (PLC) Elliptical	Vector Reflector	White	25,680 lm	250W	20.83A	Broad Spot	2,260ft.
				Photon Core	Amber	12,100 lm	380W	31.67A	Elliptical	850ft.